# **List of Figures and Tables by Chapter**

## **Executive Summary**

Figure ES-1 The flow of information associated with decision support in the context of variability and change in climate and related systems (Source: CCSP Product 5.1 Prospectus, Appendix D).

Table ES-1 List of NASA National Applications Areas (Appendix B, CCSP SAP 5.1 Prospectus).

Table ES-2 Societal benefit areas identified by the Group on Earth Observations (GEO) for the Global Earth Observations System of Systems (GEOSS) (http://www.earthobservations.org/about/about\_GEO.html) (accessed May 2007).

Table ES-3 References to Related National and International Activities (Source: Appendix C, CCSP SAP 5.1 Prospectus).

## Chapter I

- Figure 1-1 The PECAD DSS: Data Sources and DSTs (Source: Kaupp and coauthors, 2005, p. 5).
- Figure 1-2 The PECAD DSS: Earth System Models, Earth Observations, DSTs, and Outputs (Source: NASA, 2006a, p. 32).
- Figure 1-3 The PECAD DSS: The Role of Convergence of Evidence Analysis (Source: NASA, 2004a, p. 8).
- Figure 1-4 The PECAD DSS: Information Sources for the Convergence of Evidence Analysis (Source: NASA, 2004a, p. 5).

### Chapter 2

- Table 2-1 Input Data Used for Operating the CMAQ-based DSS.
- Figure 2-1 Configuration of CMAQ-based DSS for Climate Change Impact Study.
- Table 2-2 Illustrative example of the potential uses of the models and upstream and downstream tools for a CMAQ-based Climate Change Impact DSS.

#### Chapter 3

- Figure 3-1 Example of HOMER output graphic.
- Table 3-1 Major Global Datasets Used by NREL for Wind Resource Assessment.
- Figure 3-2 Example of ocean wind resource assessment output for the offshore regions of Pakistan.

#### Chapter 4

- Figure 4-1 Relationship between the occurrence of black-legged tick presence at a site and minimum temperature (top) and evaluation of model (bottom) (Brownstein et al., 2003, Environmental Health Prospectus).
- Figure 4-2 Forecast geographic distribution of the black-legged tick vector east of the 100th meridian in the U.S. for DSSPL (Brownstein et al., 2003, Environmental Health Prospectus 2a. New distribution map for I. Scapularis in the U.S.).
- Figure 4-3 Forecast change in black-legged tick distribution in eastern and central North America under climate change scenarios using DSSPL (Brownstein et al., 2005a, EcoHealth).

#### **Chapter 5**

Figure 5-1 Illustration depicting the flow of information.